

BIBLIOGRAFÍA.

1. Russell MD, Russell MS. Urgent Infections of the Head and Neck. *Med Clin North Am* 2018;102:1109-20.
2. Hurley MC, Heran MK. Imaging studies for head and neck infections. *Infect Dis Clin North Am* 2007;21:305-53, v-vi.
3. McKellop JA, Bou-Assaly W, Mukherji SK. Emergency head & neck imaging: infections and inflammatory processes. *Neuroimaging Clin N Am* 2010;20:651-61.
4. Brook I. Microbiology and principles of antimicrobial therapy for head and neck infections. *Infect Dis Clin North Am* 2007;21:355-91, vi.
5. Al-Qamachi LH, Aga H, McMahan J, Leanord A, Hammersley N. Microbiology of odontogenic infections in deep neck spaces: a retrospective study. *Br J Oral Maxillofac Surg* 2010;48:37-9.
6. Parhiscar A, Har-El G. Deep neck abscess: a retrospective review of 210 cases. *Ann Otol Rhinol Laryngol* 2001;110:1051-4.
7. Tannebaum RD. Adult retropharyngeal abscess: a case report and review of the literature. *J Emerg Med* 1996;14:147-58.
8. Reynolds SC, Chow AW. Life-threatening infections of the peripharyngeal and deep fascial spaces of the head and neck. *Infect Dis Clin North Am* 2007;21:557-76, viii.
9. Chow A. Oral cavity, neck and head infections. In: Mandell G DR, and Dolin R., ed. *Principles and Practice of Infectious Diseases*. 5 Th ed. Philadelphia: Churchill Livingstone; 2000:836-49.
10. Craig FW, Schunk JE. Retropharyngeal abscess in children: clinical presentation, utility of imaging, and current management. *Pediatrics* 2003;111:1394-8.
11. George DL, Falk PS, Umberto Meduri G, et al. Nosocomial sinusitis in patients in the medical intensive care unit: a prospective epidemiological study. *Clin Infect Dis* 1998;27:463-70.
12. Holzapfel L, Chastang C, Demingon G, Bohe J, Piralla B, Couptry A. A randomized study assessing the systematic search for maxillary sinusitis in nasotracheally mechanically ventilated patients. Influence of nosocomial maxillary sinusitis on the occurrence of ventilator-associated pneumonia. *Am J Respir Crit Care Med* 1999;159:695-701.
13. Caplan ES, Hoyt NJ. Nosocomial sinusitis. *Jama* 1982;247:639-41.
14. Stein M, Caplan ES. Nosocomial sinusitis: a unique subset of sinusitis. *Curr Opin Infect Dis* 2005;18:147-50.
15. Ilki A, Ulger N, Inanli S, et al. Microbiology of sinusitis and the predictive value of throat culture for the aetiology of sinusitis. *Clin Microbiol Infect* 2005;11:407-10.
16. Elwany S, Helmy SA, El-Reweny EM, Harfoush R, Sobhy A. Endoscopically directed middle meatal cultures vs computed tomographic scans in the diagnosis of bacterial sinusitis in intensive care units. *J Crit Care* 2012;27:315 e1-5.
17. Joniau S, Vlamincck S, Van Landuyt H, Kuhweide R, Dick C. Microbiology of sinus puncture versus middle meatal aspiration in acute bacterial maxillary sinusitis. *Am J Rhinol* 2005;19:135-40.
18. Talbot GH, Kennedy DW, Scheld WM, Granito K. Rigid nasal endoscopy versus sinus puncture and aspiration for microbiologic documentation of acute bacterial maxillary sinusitis. *Clin Infect Dis* 2001;33:1668-75.
19. Iwen PC, Rupp ME, Hinrichs SH. Invasive mold sinusitis: 17 cases in immunocompromised patients and review of the literature. *Clin Infect Dis* 1997;24:1178-84.
20. Petrikos G, Skiada A, Sambatakou H, et al. Mucormycosis: ten-year experience at a tertiary-care center in Greece. *Eur J Clin Microbiol Infect Dis* 2003;22:753-6.
21. Safar A, Marsan J, Marglani O, Al-Sebeih K, Al-Harbi J, Valvoda M. Early identification of rhinocerebral mucormycosis. *J Otolaryngol* 2005;34:166-71.

22. Spellberg B, Edwards J, Jr., Ibrahim A. Novel perspectives on mucormycosis: pathophysiology, presentation, and management. *Clin Microbiol Rev* 2005;18:556-69.
23. Torres-Narbona M, Guinea J, Martinez-Alarcon J, Pelaez T, Bouza E. In vitro activities of amphotericin B, caspofungin, itraconazole, posaconazole, and voriconazole against 45 clinical isolates of zygomycetes: comparison of CLSI M38-A, Sensititre YeastOne, and the Etest. *Antimicrob Agents Chemother* 2007;51:1126-9.
24. Sun QN, Fothergill AW, McCarthy DI, Rinaldi MG, Graybill JR. In vitro activities of posaconazole, itraconazole, voriconazole, amphotericin B, and fluconazole against 37 clinical isolates of zygomycetes. *Antimicrob Agents Chemother* 2002;46:1581-2.
25. Greenberg RN, Mullane K, van Burik JA, et al. Posaconazole as salvage therapy for zygomycosis. *Antimicrob Agents Chemother* 2006;50:126-33.
26. Marty FM, Ostrosky-Zeichner L, Cornely OA, et al. Isavuconazole treatment for mucormycosis: a single-arm open-label trial and case-control analysis. *Lancet Infect Dis* 2016;16:828-37.
27. Talmi YP, Goldschmied-Reouven A, Bakon M, et al. Rhino-orbital and rhino-orbito-cerebral mucormycosis. *Otolaryngol Head Neck Surg* 2002;127:22-31.
28. Peterson KL, Wang M, Canalis RF, Abemayor E. Rhinocerebral mucormycosis: evolution of the disease and treatment options. *Laryngoscope* 1997;107:855-62.
29. Greenberg RN, Scott LJ, Vaughn HH, Ribes JA. Zygomycosis (mucormycosis): emerging clinical importance and new treatments. *Curr Opin Infect Dis* 2004;17:517-25.
30. Sridhara SR, Paragache G, Panda NK, Chakrabarti A. Mucormycosis in immunocompetent individuals: an increasing trend. *J Otolaryngol* 2005;34:402-6.
31. Fatterpekar G, Mukherji S, Arbealez A, Maheshwari S, Castillo M. Fungal diseases of the paranasal sinuses. *Semin Ultrasound CT MR* 1999;20:391-401.
32. Thayil N, Chapman MN, Saito N, Fujita A, Sakai O. Magnetic Resonance Imaging of Acute Head and Neck Infections. *Magn Reson Imaging Clin N Am* 2016;24:345-67.
33. Johnson JT, Myers EN, Thearle PB, Sigler BA, Schramm VL, Jr. Antimicrobial prophylaxis for contaminated head and neck surgery. *Laryngoscope* 1984;94:46-51.
34. Velanovich V. A meta-analysis of prophylactic antibiotics in head and neck surgery. *Plast Reconstr Surg* 1991;87:429-34; discussion 35.
35. Robbins KT, Favrot S, Hanna D, Cole R. Risk of wound infection in patients with head and neck cancer. *Head Neck* 1990;12:143-8.
36. Lotfi CJ, Cavalcanti Rde C, Costa e Silva AM, et al. Risk factors for surgical-site infections in head and neck cancer surgery. *Otolaryngol Head Neck Surg* 2008;138:74-80.
37. Lee DH, Kim SY, Nam SY, Choi SH, Choi JW, Roh JL. Risk factors of surgical site infection in patients undergoing major oncological surgery for head and neck cancer. *Oral Oncol* 2011;47:528-31.
38. Johns ME. The nutrition problem in head and neck cancer. *Otolaryngol Head Neck Surg* 1980;88:691-4.
39. Son HJ, Roh JL, Choi SH, Nam SY, Kim SY. Nutritional and hematologic markers as predictors of risk of surgical site infection in patients with head and neck cancer undergoing major oncologic surgery. *Head Neck* 2018;40:596-604.
40. Sorensen LT, Karlsmark T, Gottrup F. Abstinence from smoking reduces incisional wound infection: a randomized controlled trial. *Ann Surg* 2003;238:1-5.
41. Righi M, Manfredi R, Farneti G, Pasquini E, Cenacchi V. Short-term versus long-term antimicrobial prophylaxis in oncologic head and neck surgery. *Head Neck* 1996;18:399-404.
42. Cole RR, Robbins KT, Cohen JI, Wolf PF. A predictive model for wound sepsis in oncologic surgery of the head and neck. *Otolaryngol Head Neck Surg* 1987;96:165-71.
43. Johnson JT, Yu VL, Myers EN, Muder RR, Thearle PB, Diven WF. Efficacy of two third-generation cephalosporins in prophylaxis for head and neck surgery. *Arch Otolaryngol* 1984;110:224-7.

44. Becker GD. Ineffectiveness of closed suction drainage cultures in the prediction of bacteriologic findings in wound infections in patients undergoing contaminated head and neck cancer surgery. *Otolaryngol Head Neck Surg* 1985;93:743-7.
45. Rubin J, Johnson JT, Wagner RL, Yu VL. Bacteriologic analysis of wound infection following major head and neck surgery. *Arch Otolaryngol Head Neck Surg* 1988;114:969-72.
46. Wagner JL, Kenney RM, Vazquez JA, Ghanem TA, Davis SL. Surgical prophylaxis with gram-negative activity for reduction of surgical site infections after microvascular reconstruction for head and neck cancer. *Head Neck* 2016;38:1449-54.
47. Durand ML, Yarlagadda BB, Rich DL, et al. The time course and microbiology of surgical site infections after head and neck free flap surgery. *Laryngoscope* 2015;125:1084-9.
48. Johnson JT, Yu VL. Role of aerobic gram-negative rods, anaerobes, and fungi in wound infection after head and neck surgery: implications for antibiotic prophylaxis. *Head Neck* 1989;11:27-9.
49. Levin WJ, Shary JH, 3rd, Nichols LT, Lucente FE. Bone scanning in severe external otitis. *Laryngoscope* 1986;96:1193-5.
50. Rubin J, Yu VL. Malignant external otitis: insights into pathogenesis, clinical manifestations, diagnosis, and therapy. *Am J Med* 1988;85:391-8.
51. Rubin Grandis J, Branstetter BF, Yu VL. The changing face of malignant (necrotising) external otitis: clinical, radiological, and anatomic correlations. *Lancet Infect Dis* 2004;4:34-9.
52. Soudry E, Joshua BZ, Sulkes J, Nageris BI. Characteristics and prognosis of malignant external otitis with facial paralysis. *Arch Otolaryngol Head Neck Surg* 2007;133:1002-4.
53. Hobson CE, Moy JD, Byers KE, Raz Y, Hirsch BE, McCall AA. Malignant Otitis Externa: Evolving Pathogens and Implications for Diagnosis and Treatment. *Otolaryngol Head Neck Surg* 2014;151:112-6.
54. Paterson PJ, Marshall SR, Shaw B, et al. Fatal invasive cerebral *Absidia corymbifera* infection following bone marrow transplantation. *Bone Marrow Transplant* 2000;26:701-3.
55. Tuzcu A, Bahceci M, Celen MK, Kilinc N, Ozmen S. Necrotizing (malignant) otitis externa: an unusual localization of mucormycosis. *Indian J Med Microbiol* 2006;24:289-91.
56. Rubin J, Stoehr G, Yu VL, Muder RR, Matador A, Kamerer DB. Efficacy of oral ciprofloxacin plus rifampin for treatment of malignant external otitis. *Arch Otolaryngol Head Neck Surg* 1989;115:1063-9.
57. Stokkel MP, Boot CN, van Eck-Smit BL. SPECT gallium scintigraphy in malignant external otitis: initial staging and follow-up. Case reports. *Laryngoscope* 1996;106:338-40.
58. Grandis JR, Curtin HD, Yu VL. Necrotizing (malignant) external otitis: prospective comparison of CT and MR imaging in diagnosis and follow-up. *Radiology* 1995;196:499-504.
59. Ismail H, Hellier WP, Batty V. Use of magnetic resonance imaging as the primary imaging modality in the diagnosis and follow-up of malignant external otitis. *J Laryngol Otol* 2004;118:576-9.
60. Sudhoff H, Rajagopal S, Mani N, Moumoulidis I, Axon PR, Moffat D. Usefulness of CT scans in malignant external otitis: effective tool for the diagnosis, but of limited value in predicting outcome. *Eur Arch Otorhinolaryngol* 2008;265:53-6.
61. Levenson MJ, Parisier SC, Dolitsky J, Bindra G. Ciprofloxacin: drug of choice in the treatment of malignant external otitis (MEO). *Laryngoscope* 1991;101:821-4.
62. Hickey SA, Ford GR, O'Connor AF, Eykyn SJ, Sonksen PH. Treating malignant otitis with oral ciprofloxacin. *Bmj* 1989;299:550-1.
63. Sade J, Lang R, Goshen S, Kitzes-Cohen R. Ciprofloxacin treatment of malignant external otitis. *Am J Med* 1989;87:138S-41S.
64. Carlton DA, Perez EE, Smouha EE. Malignant external otitis: The shifting treatment paradigm. *Am J Otolaryngol* 2018;39:41-5.

65. Hatch JL, Bauschard MJ, Nguyen SA, Lambert PR, Meyer TA, McRackan TR. Malignant Otitis Externa Outcomes: A Study of the University HealthSystem Consortium Database. *Ann Otol Rhinol Laryngol* 2018;127:514-20.
66. Gruber M, Sela E, Doweck I, et al. The role of surgery in necrotizing otitis externa. *Ear Nose Throat J* 2017;96:E16-E21.